






ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	12071006	Nut M6 locking DIN985	4
2	121006010-8.8FZ	Allen Screw DIN912 M6 x 10 8.8Z	3
3	121006012-8.8FZ	Allen Screw DIN912 M6 x 12 8.8Z	2
4	121006020-12.9FZ	Allen Screw DIN912 M6 x 20 12.9Z	2
5	121010030-12.9FZ	Allen screw DIN912 M10 x 30 12.9Z	8
6	121010060-12.9FZ	Allen screw DIN912 M10 x 60 12.9Z	2
7	121012025-12.9FZ	Allen screw DIN912 M12 x 25 12.9Z	1
8	121012045-12.9FZ	Allen screw DIN912 M12 x 45 12.9Z	1
9	121016180-12.9FZ	Allen screw DIN912 M16 x 180 12.9Z	2
10	121110016-8.8FZ	Hex Screw DIN933 M10 x 16 8.8Z	2
11	121112020-8.8FZ	Hex screw DIN933 M12 x 20 8.8Z	1
12	121112090-8.8FZ	Hex screw DIN933 M12 x 90 8.8Z	2
13	123006016-10.9FZ	C/S Allen screw DIN7991 M6x16 10.9Z	2
14	123006025-10.9FZ	C/S Allen screw DIN7991 M6x25 10.9Z	1
15	14040200	Coupling screw	2
16	14082000	Pin screw M12 x 16 10.9 Z	1
17	14230100	Screw, guard, 3P8	2
18	15070200	Spacer nut, L=21	1
19	15090100	Lock nut, guard 3P8	2
20	16242200	Washer, 12.5 x 50 x 10	1
21	16242800	Washer, guard, slack side	1
22	16370500	Plastic knob for rubber strap	1
23	16400600	Plain washer 6.4 x 12 /M6	1
24	16401400	Plain washer 13 x 20 x 2 /M12	2
25	1641052204	Washer, TBRB 10.5 x 22 x 4	2
26	17304120	Cyl. pin, CPK 4m6x12 Hardened	6
27	17305120	Cyl. pin ISO8734, CPK 5m6x12 Hardened	2
28	17312450	Cyl. Pin, CPK 12m6 x 45	2
29	19250100	Coupling, Tema 1300, female, 1/4"	1
30	19303814	Fitting, 1/4" Push-lok 3/8"	2
31	22111012	Support ring 10 x 16 x 1.2 DIN988	4
32	22111212	Support ring 12 x 18 x 1.2 DIN988	1
33	22111415	Support ring 14 x 20 x 1.5-Z DIN988	2
34	22140700	Spacer, 40x50x12	2
35	22141000	Spacer, 40x50x5	2
36	31090200	Cable strap L = 360 mm	1
37	34350100	Shaft, straight magazine rollers	1
38	34350300	Shaft, single idler	1
39	34350600	Shaft, idler wrap wheel	1
40	43280200	Support MG41	2
41	43380200	Arm, wrap wheel	1
42	45068801	Pulley 3P8 Ø200 complete	5
43	46170100	Reinforcement, motor plate	1
44	46170200	Reinforcement, wheel shafts	2
45	46181100	Guard hinge plate	1
46	50628801	Swivel wheel assembly	2
47	50628900	Swivel wheel arm 3P8	1
48	52060380-315	Hose, Push-lok 10 mm, L=315	1
49	53011000	Handle, 116 mm	1
50	56362400	Adapter plate, lower pulleys 3P8	1
51	57480100	Recepticle	6

Suppliers Part Number		Supersedes		Date		Part Number 3P8-LA	
Material Code		Material Dimension		Procurement		Description Lower magazine rollers, 3P8	
Material		Geometric Tolerance		Proj			
Derived From		Scale 1:5		Mass		Sheet 1/2	
Drawn by		Approved by		Designed by		Revision --00	
THIS DRAWING IS THE PROPERTY OF Tractive AB. ITS SUBMISSION DOES NOT INCLUDE OR CARRY THE RIGHT TO MAKE, USE OR SELL WHAT IS ILLUSTRATED WITHOUT THE WRITTEN CONSENT OF Tractive AB.						TRACTIVE Gårdsgränd 54 S-781 70 Borlänge Tel +46 243 22 11 55 Fax +46 243 22 11 80 www.tractive.se / www.pentrunder.com	







Assy. Number		3P8-LA		
Assy. Description		Lower magazine rollers, 3P8		
Date		TRACTIVE Gjutargatan 54 S-781 70 Borlänge Tel +46 243 22 11 55 Fax +46 243 22 11 80 www.tractive.se / www.pentruder.com		
Revision	--00			
Drawn				
Approved				
Supercedes				
THIS DRAWING IS THE PROPERTY OF Tractive AB. ITS SUBMISSION DOES NOT INCLUDE OR CARRY THE RIGHT TO MAKE, USE OR SELL WHAT IS ILLUSTRATED WITHOUT THE WRITTEN CONSENT OF Tractive AB.		Scale	1:5	SHEET 2 OF 2
		Drawing Size	A3	




ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	121006020-12.9FZ	Allen Screw DIN912 M6 x 20 12.9Z	2
2	121010030-12.9FZ	Allen screw DIN912 M10 x 30 12.9Z	4
3	121010035-12.9FZ	Allen screw DIN912 M10 x 35 12.9Z	1
4	121012030-12.9FZ	Allen screw DIN912 M12 x 30 12.9Z	1
5	121012045-12.9FZ	Allen screw DIN912 M12 x 45 12.9Z	1
6	121016180-12.9FZ	Allen screw DIN912 M16 x 180 12.9Z	1
7	14040200	Coupling screw	1
8	14080800	Stud, M10 x 20	3
9	15070100	Spacer nut, L=88	1
10	16242200	Washer, 12.5 x 50 x 10	1
11	17304120	Cyl. pin, CPK 4m6x12 Hardened	4
12	17305140	Cyl. pin ISO8734, CPK 5m6x14 Hardened	3
13	20513010	Needle roller 3 x 9.8	6
14	22111012	Support ring 10 x 16 x 1.2 DIN988	1
15	22111212	Support ring 12 x 18 x 1.2 DIN988	1
16	22111415	Support ring 14 x 20 x 1.5-Z DIN988	1
17	33300100	Bushing, middle	2
18	33300200	Eccentric bushing, middle Ø 3.1 3P8	2
19	33300300	Angled bushing, outer	1
20	33300400	Angled bushing, inner	1
21	34350400	Shaft, tension wheel	1
22	34350500	Shaft, Idler return wheel	1
23	40070400	Guide pin, guard 3P8	2
24	43280200	Support MG41	1
25	45068801	Pulley 3P8 Ø200 complete	4
26	53011000	Handle, 116 mm	1
27	56362300	Adapter plate, tension wheels	1
28	57480100	Recepticle	4

Assy. Number		3P8-UA	
Assy. Description		Upper pulley assy, 3P8	
Date		 Gjutargatan 54 S-781 70 Borlänge Tel +46 243 22 11 55 Fax +46 243 22 11 80 www.tractive.se / www.pentruder.com	
Revision	--02		
Drawn			
Approved			
Supersedes			
THIS DRAWING IS THE PROPERTY OF Tractive AB . ITS SUBMISSION DOES NOT INCLUDE OR CARRY THE RIGHT TO MAKE, USE OR SELL WHAT IS ILLUSTRATED WITHOUT THE WRITTEN CONSENT OF Tractive AB .		Scale	1:3
		Drawing Size	A3
		SHEET 1 OF 2	





Assy. Number		3P8-UA		
Assy. Description		Upper pulley assy, 3P8		
Date		TRACTIVE Gjutargatan 54 S-781 70 Borlänge Tel +46 243 22 11 55 Fax +46 243 22 11 80 www.tractive.se / www.pentruder.com		
Revision	--02			
Drawn				
Approved				
Supercedes				
THIS DRAWING IS THE PROPERTY OF Tractive AB . ITS SUBMISSION DOES NOT INCLUDE OR CARRY THE RIGHT TO MAKE, USE OR SELL WHAT IS ILLUSTRATED WITHOUT THE WRITTEN CONSENT OF Tractive AB .		Scale	1:3	SHEET 2 OF 2
		Drawing Size	A3	




ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	121008020-8.8FZ	Allen screw DIN912 M8 x 20 8.8Z	6
2	20756008	Ball bearing 6008-2RS1	2
3	22300200	Pulley rubber ring	1
4	24005005804	Radial seal, SD50x58x4	2
5	45060100	Idler pulley, base rim, Ø200	1
6	45060200	Idler pulley, cover rim, Ø200	1


Assy. Number		45068801		
Assy. Description		Pulley 3P8 Ø200 complete		
Date		TRACTIVE Gjutargatan 54 S-781 70 Borlänge Tel +46 243 22 11 55 Fax +46 243 22 11 80 www.tractive.se / www.pentruder.com		
Revision	--03			
Drawn				
Approved				
Supercedes				
THIS DRAWING IS THE PROPERTY OF Tractive AB. ITS SUBMISSION DOES NOT INCLUDE OR CARRY THE RIGHT TO MAKE, USE OR SELL WHAT IS ILLUSTRATED WITHOUT THE WRITTEN CONSENT OF Tractive AB.		Scale	1:2	SHEET 1 OF 2
		Drawing Size	A3	




A-A



B





Assy. Number		45068801		
Assy. Description		Pulley 3P8 Ø200 complete		
Date		TRACTIVE Gjutargatan 54 S-781 70 Borlänge Tel +46 243 22 11 55 Fax +46 243 22 11 80 www.tractive.se / www.pentruder.com		
Revision	--03			
Drawn				
Approved				
Supercedes				
THIS DRAWING IS THE PROPERTY OF Tractive AB. ITS SUBMISSION DOES NOT INCLUDE OR CARRY THE RIGHT TO MAKE, USE OR SELL WHAT IS ILLUSTRATED WITHOUT THE WRITTEN CONSENT OF Tractive AB.		Scale	1:2	SHEET 2 OF 2
		Drawing Size	A3	



Pos 30 is different depending on
Hydraulic or HF-drive

Item	Qty.	Part No.	Description	Note
1	3	12071006	Nut M6, Nyloc DIN985	
2	8	121004008-8.8FZ	Allen screw DIN912 M4 x 8 8.8Z	
3	2	121006010-8.8FZ	Allen screw DIN912 M6 x 10 8.8Z	
4	9	121008012-8.8FZ	Allen screw DIN912 M8 x 12 8.8Z	
5	1	121008040-12.9FZ	Allen screw DIN912 M8 x 40 12.9Z	
6	4	121010045-12.9FZ	Allen screw DIN912 M10 x 45 12.9Z	
7	1	121016090-12.9FZ	Allen screw DIN912 M16 x 90 12.9Z	
8	1	121016130-12.9FZ	Allen screw DIN912 M16 x 130 12.9Z	
9	2	123006016-10.9FZ	C/S Allen screw DIN7991 M6x16 10.9Z	
10	1	123006025-10.9FZ	C/S Allen screw DIN7991 M6x25 10.9Z	
11	2	14220100	Coupling screw	
12	2	16242700	Guide washer, pulley, 3P8	
13	1	16370500	Plastic knob for rubber strap	
14	1	16400600	Plain washer 6.4 x 12 /M6	
15	9	16400800	Plain washer 8.4 x 16 x 1.6 /M8	
16	1	19240100	Coupling male 1/4" Tema 1300	
17	2	20756206	Radial support 6206-2RS1/C3	
18	1	21203000	Circlip Sga 30 DIN 471 - 30 x 1.5	
19	1	21406200	Circlip Sgh 62 DIN 472 - 62 x 2.0	
20	1	22110810	Support ring 8 x 14 x 1.2 DIN988	
21	4	22111012	Support ring 10 x 16 x 1.2 DIN988	
22	2	22111715	Support ring 17 x 24 x 1.5 DIN988	
23	1	23200014	Dowty washer, 1/4"	
24	2	24046500	Seal V-65 NBR70	
25	1	31090200	Cable strap L = 360 mm	
26	2	330512.116	Bushing, 12.1 x 22 x 16	
27	1	34350200	Shaft, main drive pulley	Drive shaft 3P8
28	1	34350700	End cap, main drive pulley 3P8	
29	1	378107202108	Polybelt for 3P8	
30	1	45030100	Belt pulley 28T for HF 3P8	
31	1	45068901	Main Drive Pulley Ø500 3P8 cpl	
32	1	46170100	Reinforcement, motor plate	
33	1	46180100	Guard, belt drive, 3P8	
34	1	46180200	Guard, inner lower, main drive pulley, 3P8	
35	1	46180300	Guard, inner, main drive pulley, 3P8	
36	1	58353000	Plate, HF-motor, 3P8	


Material	Scale	Units	Mass, gram	Geometric tolerances	This drawing defines the requirements of the finished (complete) part(s), if not stated otherwise
	1:3	mm / g			
Approved and released by	J.Gustavson	2023-04-11	Description	3P8-DP Drive pulley 3P8 HF cpl	
Checked by	J.Gustavson	2023-04-11	Sheet	1/4	
Drawn by			Drawing number	3P8-DP	
Designed by	JGustafsson		Category	Revision	
				1	B



Material			Proj	Scale	Units	Mass, gram	Geometric tolerances		This drawing defines the requirements of the finished (complete) part(s), if not stated otherwise	
				1:5	mm / g					
Approved and released by	J.Gustavson	2023-04-11	Beskrivning							
Checked by	J.Gustavson	2023-04-11	Description							
			3P8-DP Drive pulley 3P8 HF cpl							
Drawn by			<i>TRACTIVE</i>			Sheet	Drawing number		Category	Revision
Designed by	JGustafsson		Gjutargatan 54 S-781 70 Borlänge - Sweden			2/4	3P8-DP		1	B

Rev.	Note	Date	Rev. By	Appr. By
B	New Document	2023-04-11	JG	JG



Rev.	Note	Date	Rev. By	Appr. By
B	New Document	2023-04-11	JG	JG



Pos 30 is different depending on
Hydraulic or HF-drive


Item	Qty.	Part No.	Description	Note
1	3	12071006	Nut M6, Nyloc DIN985	
2	8	121004008-8.8FZ	Allen screw DIN912 M4 x 8 8.8Z	
3	2	121006010-8.8FZ	Allen screw DIN912 M6 x 10 8.8Z	
4	9	121008012-8.8FZ	Allen screw DIN912 M8 x 12 8.8Z	
5	1	121008040-12.9FZ	Allen screw DIN912 M8 x 40 12.9Z	
6	4	121010045-12.9FZ	Allen screw DIN912 M10 x 45 12.9Z	
7	1	121016090-12.9FZ	Allen screw DIN912 M16 x 90 12.9Z	
8	1	121016130-12.9FZ	Allen screw DIN912 M16 x 130 12.9Z	
9	2	123006016-10.9FZ	C/S Allen screw DIN7991 M6x16 10.9Z	
10	1	123006025-10.9FZ	C/S Allen screw DIN7991 M6x25 10.9Z	
11	2	14220100	Coupling screw	
12	2	16242700	Guide washer, pulley, 3P8	
13	1	16370500	Plastic knob for rubber strap	
14	1	16400600	Plain washer 6.4 x 12 /M6	
15	9	16400800	Plain washer 8.4 x 16 x 1.6 /M8	
16	1	19240100	Coupling male 1/4" Tema 1300	
17	2	20756206	Radial support 6206-2RS1/C3	
18	1	21203000	Circlip Sga 30 DIN 471 - 30 x 1.5	
19	1	21406200	Circlip Sgh 62 DIN 472 - 62 x 2.0	
20	1	22110810	Support ring 8 x 14 x 1.2 DIN988	
21	4	22111012	Support ring 10 x 16 x 1.2 DIN988	
22	2	22111715	Support ring 17 x 24 x 1.5 DIN988	
23	1	23200014	Dowty washer, 1/4"	
24	2	24046500	Seal V-65 NBR70	
25	1	31090200	Cable strap L = 360 mm	
26	2	330512.116	Bushing, 12.1 x 22 x 16	
27	1	34350200	Shaft, main drive pulley	Drive shaft 3P8
28	1	34350700	End cap, main drive pulley 3P8	
29	1	378107202108	Polybelt for 3P8	
30	1	45030300	Belt pulley, 28 teeth, hyd motor	
31	1	45068901	Main Drive Pulley Ø500 3P8 cpl	
32	1	46170100	Reinforcement, motor plate	
33	1	46180100	Guard, belt drive, 3P8	
34	1	46180200	Guard, inner lower, main drive pulley, 3P8	
35	1	46180300	Guard, inner, main drive pulley, 3P8	
36	1	58353000	Plate, HF-motor, 3P8	

Material	Scale	Units	Mass, gram	Geometric tolerances	This drawing defines the requirements of the finished (complete) part(s), if not stated otherwise
	1:3	mm / g			
Approved and released by	J.Gustavson	2023-04-11	Description		
Checked by	J.Gustavson	2023-04-11	3P8-DP Drive pulley 3P8 Hyd cpl		
Drawn by			Sheet		
Designed by	JGustafsson		Drawing number		
			3/4		
			3P8-DP		
			Category		
			Revision		
			1 B		



Material			Proj	Scale	Units	Mass, gram	Geometric tolerances		This drawing defines the requirements of the finished (complete) part(s), if not stated otherwise	
				1:5	mm / g					
Approved and released by	J.Gustavson	2023-04-11	Beskrivning							
Checked by	J.Gustavson	2023-04-11	Description							
			3P8-DP Drive pulley 3P8 Hyd cpl							
Drawn by			<i>TRACTIVE</i>			Sheet	Drawing number		Category	Revision
Designed by	JGustafsson		Gjutargatan 54 S-781 70 Borlänge - Sweden			4/4	3P8-DP		1	B

Rev.	Note	Date	Rev. By	Appr. By
B	New Document	2023-04-11	JG	JG








Item	Qty.	Part No.	Description	Note
1	12	12070108	Nut locking DIN982 M8	
2	8	121008016-12.9FZ	Allen screw DIN912 M8 x 16 12.9Z	
3	12	121008020-12.9FZ	Allen screw DIN912 M8 x 20 12.9Z	
4	8	121008035-12.9FZ	Allen screw DIN912 M8 x 35 12.9Z	
5	32	16400800	Plain washer, BRB 8.4 x 16 x 1.6	
6	2	20756010	Ball bearing 6010-2RS1/C3	
7	8	22110810	Support ring 8 x 14 x 1.2 DIN988	
8	1	22150700	Spacer 50 x 60 x 17	
9	1	22300300	Drive pulley rubber insert, Ø 500	
10	1	41070100	Bearing hub, main drive wheel 3P8	Bearing hub
11	1	45030400	Belt pulley, 75 teeth ver.2	
12	2	45060300	Side plate, Main drive pulley	

Material			Proj	Scale	Units	Mass, gram	Geometric tolerances		This drawing defines the requirements of the finished (complete) part(s), if not stated otherwise	
				1:7	mm / g	7758				
Approved and released by	JT	2017-12-15	Drivhjul 3P8 Ø 500 kpl							
Checked by			Main drive pulley 3P8 Ø500 cpl							
Drawn by	A.Johnsen	2013-06-25	TRACTIVE Gjutargatan 54 S-781 70 Borlänge - Sweden			Sheet	Drawing number		Category	Revision
Designed by	A.Johnsen	2008-03-31				1/2	45068901		3	B



Rev.	Note	Date	Rev. By	Appr. By
B	Pos 11 (45030400) replaces both 22201000 and 45030200	2025-10-27	JG	MP
A	Updated after migration	2017-12-15	JG	JT

SP - 3P8
Page 12/21
2026-05-22






Rev.	Note	Date	Rev. By	Appr. By
B	Pos 11 (45030400) replaces both 22201000 and 45030200	2025-10-27	JG	MP
A	Updated after migration	2017-12-15	JG	JT

Material			Proj	Scale	Units	Mass, gram	Geometric tolerances		This drawing defines the requirements of the finished (complete) part(s), if not stated otherwise		
				1:5	mm / g	7758					
Approved and released by	JT	2017-12-15	Beskrivning Drivhjul 3P8 Ø 500 kpl								
Checked by			Description Main drive pulley 3P8 Ø500 cpl								
Drawn by	A.Johnsen	2013-06-25				Sheet	Drawing number		Category	Revision	
Designed by	A.Johnsen	2008-03-31				2/2	45068901		3	B	
			Gjutargatan 54 S-781 70 Borlänge - Sweden								




ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	12070112	Nut locking DIN982 M12	1
2	121112040-8.8FZ	Hex screw DIN933 M12 x 40 8.8Z	1
3	121112070-8.8FZ	Hex screw DIN933 M12 x 70 8.8Z	1
4	15200100	Groove nut, M12	1
5	22111212	Support ring 12 x 18 x 1.2 DIN988	3
6	22141100	Spacer, 12.5 x 40 x 50 x 26	1
7	22141200	Spacer, 12.5 x 40 x 50 x 26	1
8	22141300	Distance sleeve	1
9	45068801	Pulley 3P8 Ø200 complete	1
10	50628800	Swivelling fork	1

Assy. Number		50628801	
Assy. Description		Swivel wheel assembly	
Date		TRACTIVE Gjutargatan 54 S-781 70 Borlänge Tel +46 243 22 11 55 Fax +46 243 22 11 80 www.tractive.se / www.pentruder.com	
Revision	--04		
Drawn			
Approved			
Supercedes			
THIS DRAWING IS THE PROPERTY OF Tractive AB. ITS SUBMISSION DOES NOT INCLUDE OR CARRY THE RIGHT TO MAKE, USE OR SELL WHAT IS ILLUSTRATED WITHOUT THE WRITTEN CONSENT OF Tractive AB.		Scale	1:2.5
		Drawing Size	A3
		SHEET 1 OF 2	





B-B




A-A

Assy. Number		50628801		
Assy. Description		Swivel wheel assembly		
Date		TRACTIVE Gjutargatan 54 S-781 70 Borlänge Tel +46 243 22 11 55 Fax +46 243 22 11 80 www.tractive.se / www.pentruder.com		
Revision	--04			
Drawn				
Approved				
Supersedes				
THIS DRAWING IS THE PROPERTY OF Tractive AB. ITS SUBMISSION DOES NOT INCLUDE OR CARRY THE RIGHT TO MAKE, USE OR SELL WHAT IS ILLUSTRATED WITHOUT THE WRITTEN CONSENT OF Tractive AB.		Scale	1:2	SHEET 2 OF 2
		Drawing Size	A3	





ITEM NO.	PART/ASSY NUMBER	DESCRIPTION	QTY.
1	121112065-8.8FZ	Hex screw DIN933 M12 x 65 8.8Z	1
2	16401200	Plain washer, 13 x 24 x 2	1
3	22150800	Axel, Outer for singel sattelite pulley	1
4	22150900	Axel, Inner for singel sattelite pulley	1
5	45068801	Pulley 3P8 Ø200 complete	1



Assy. Number		WSP1	
Assy. Description		Satellite pulley, single cpl	
Date		TRACTIVE Gjutargatan 54 S-781 70 Borlänge Tel +46 243 22 11 55 Fax +46 243 22 11 80 www.tractive.se / www.pentruder.com	
Revision	--03		
Drawn			
Approved			
Supercedes			
THIS DRAWING IS THE PROPERTY OF Tractive AB. ITS SUBMISSION DOES NOT INCLUDE OR CARRY THE RIGHT TO MAKE, USE OR SELL WHAT IS ILLUSTRATED WITHOUT THE WRITTEN CONSENT OF Tractive AB.		Scale	1:2
		Drawing Size	A3
		SHEET 1 OF 3	



A-A





Assy. Number		WSP1		
Assy. Description		Satellite pulley, single cpl		
Date		TRACTIVE Gjutargatan 54 S-781 70 Borlänge Tel +46 243 22 11 55 Fax +46 243 22 11 80 www.tractive.se / www.pentruder.com		
Revision	--03			
Drawn				
Approved				
Supersedes				
THIS DRAWING IS THE PROPERTY OF Tractive AB. ITS SUBMISSION DOES NOT INCLUDE OR CARRY THE RIGHT TO MAKE, USE OR SELL WHAT IS ILLUSTRATED WITHOUT THE WRITTEN CONSENT OF Tractive AB.		Scale	1:1.5	SHEET 2 OF 3
		Drawing Size	A3	



ITEM NO.	PART/ASSY NUMBER	DESCRIPTION	QTY.
1	121112040-8.8FZ	Hex screw DIN933 M12 x 40 8.8Z	4
2	16401400	Plain washer 13 x 20 x 2 /M12	4
3	16441765	Square washer, 65x65x6 Ø17.5	2
4	43102100	Satellite wheel foot plate, T-type	1
5	50620501	Swivel wheel tube, straight, L=230	1
6	50621201	Link 90°, 50_60 mm	1
7	50628801	Swivel wheel assembly	2

Assy. Number		WSP2-90	
Assy. Description		Satellite pulley, straight 90° cpl	
Date		TRACTIVE Gjutargatan 54 S-781 70 Borlänge Tel +46 243 22 11 55 Fax +46 243 22 11 80 www.tractive.se / www.pentruder.com	
Revision	--02		
Drawn			
Approved			
Supercedes			
THIS DRAWING IS THE PROPERTY OF Tractive AB. ITS SUBMISSION DOES NOT INCLUDE OR CARRY THE RIGHT TO MAKE, USE OR SELL WHAT IS ILLUSTRATED WITHOUT THE WRITTEN CONSENT OF Tractive AB.		Scale	1:5
		Drawing Size	A3
		SHEET 1 OF 1	




ITEM NO.	PART/ASSY NUMBER	DESCRIPTION	QTY.
1	121112040-8.8FZ	Hex screw DIN933 M12 x 40 8.8Z	4
2	16401400	Plain washer 13 x 20 x 2 /M12	4
3	16441765	Square washer, 65x65x6 Ø17.5	2
4	43102100	Satellite wheel foot plate, T-type	1
5	50620601	Swivel tube assy, twisted groove	1
6	50621201	Link 90°, 50_60 mm	1
7	50628801	Swivel wheel assembly	2

Assy. Number		WSP2-180		
Assy. Description		Satellite pulley, angled 180° cpl		
Date		TRACTIVE Gjutargatan 54 S-781 70 Borlänge Tel +46 243 22 11 55 Fax +46 243 22 11 80 www.tractive.se / www.pentruder.com		
Revision	--01			
Drawn				
Approved				
Supercedes				
THIS DRAWING IS THE PROPERTY OF Tractive AB. ITS SUBMISSION DOES NOT INCLUDE OR CARRY THE RIGHT TO MAKE, USE OR SELL WHAT IS ILLUSTRATED WITHOUT THE WRITTEN CONSENT OF Tractive AB.		Scale	1:10	SHEET 1 OF 1
		Drawing Size	A3	

OLDER VERSIONS ON THE FOLLOWING PAGES!




Rev.	Note	Date	Rev. By	Appr. By
A	Updated after migration	2017-12-15	JG	JT




Item	Qty.	Part No.	Description	Note
1	12	12070108	Nut locking DIN982 M8	
2	8	121008016-12.9FZ	Allen screw DIN912 M8 x 16 12.9Z	
3	12	121008020-12.9FZ	Allen screw DIN912 M8 x 20 12.9Z	
4	8	121008035-12.9FZ	Allen screw DIN912 M8 x 35 12.9Z	
5	32	16400800	Plain washer, BRB 8.4 x 16 x 1.6	
6	2	20756010	Ball bearing 6010-2RS1/C3	
7	8	22110810	Support ring 8 x 14 x 1.2 DIN988	
8	1	22150700	Spacer 50 x 60 x 17	
9	1	22201000	Spacer, main drive pulley	
10	1	22300300	Drive pulley rubber insert, Ø 500	
11	1	41070100	Bearing hub, main drive wheel 3P8	Bearing hub
12	1	45030200	Belt pulley, 75 teeth	
13	2	45060300	Side plate, Main drive pulley	

Material		Description			Main Drive Pulley Ø500 3P8 cpl	
Geometric Tolerance		Sheet	1/2	Mass in Gram	7777	Dim.in mm
		Date		Proj		Note
		Drawn by		Designed by	JG	Scale
						1:7
Part Number					45068901	
Revision					A	

A detailed line drawing of a wire wheel, viewed from an isometric perspective. The wheel consists of a central hub with eight mounting bolts arranged in a circular pattern. Radiating from the hub are numerous thin spokes that form a dense, concentric ring. The outer rim of the wheel is also reinforced with twelve mounting bolts, evenly spaced around its circumference. The drawing uses fine lines to represent the spokes and thicker lines for the hub and rim.



Material				Proj Scale 1:5	Units mm / g	Mass, gram 7777	Geometric tolerances	This drawing defines the requirements of the finished (complete) part(s), if not stated otherwise	
Approved and released by	JT	2017-12-15	Beskrivning						
Checked by			Description Main Drive Pulley Ø500 3P8 cpl						
Drawn by					Sheet 2/2	Drawing number 45068901		Category	Revision A
Designed by	JG		Gjutargatan 54 S-781 70 Borlänge - Sweden						

Rev.	Note	Date	Rev. By	Appr. By
A	Updated after migration	2017-12-15	JG	JT